No animals have received so much attention, been so extremely admired or so greatly persecuted, by man as have the birds. This dubious distinction has found its most impressive recognition in North America during the past two centuries. Two species that populated the continent and its coastal waters in millions have been exterpated by the purposefal actions of men. The Passenger Pigeon whose migrating flocks like storm clouds darkened the mid-western skies was shot into oblivion for pig food, for fertilizer, and for the sport of killing. The Great Auk, the flightless, penguin-like bird of the northern hemisphere, whose teeming hoaros, to the add amazment of the first explorers of America's northeastern shores, occupied every nitch and ledge on the rocky coasts of Labrador and Greenland, were bludgeoned into extinction by ship crews. With the less well known Labrador Duck their battered bodies were packed into hogsheads for the honor of later rendering into cookingsoil.

. Conservation - Environife

128

American and Snowy Egrets were brought near to extinction in the United States early in this century by plume hunters. From this fate they were saved in the nick of time by Congressional action, responding to aroused public feeling, that declaired illegal the importation and interstate traffic in plumes. At the time this legislation was passed Egrets were maintaining a precarious existence in southern Florida. Plumage hunters sought out the last remnants of these embattled species where they had retreated to the remotest mangrove islands and saw grass marshes of the Everglade wilderness. So valuable were the feathers on the milliner's market that these men risked any danger, any hardship, in the trackless mosquite infested swamps in their rapaceous, and remorseless pursuit of the Egrets. The plumes, which develop only during the breeding season, were plucked from birds shot off their nests; their bodies left to rot where they fell. soon neglect The young, unshaded and unfed,/perished from h<del>eaf and hun</del> soon hunger in the steamy mangrove jungle, and whole rookeries became a stinking carnage. The horror

of these deeds, though they never aroused the slightest doubts or compassion among their perpetrators, eventually became known to people with more refined sensibilities. The ensuing disgusted outcry at the cruelty, the waste, the pointless destruction committed for the gratification of greed and feminine vanity brought the slaughter to an end. Under the protection of laws which rendered the unconscionable exploitation unprofitable, and with broader protection against disturbance of these and many other birds afforded by sanctuaries and public parks, the Egrets have regained much of their former abundance. At last the aesthetic conscience of man prevailed over his acquisitive instincts permitting him to appreciate the greater beauty of the living bird than the plumein the lady's hat.

The fate of the Carolina Parakeet was the result of many causes not all understood, but which include shooting for its feathers in addition to destruction of the bird's habitat. As with the Ivory-billed Woodpecker, a bird also adapted to an ecological environment of narrow limits, the Parakeet may neither have been able to survive in the dwindling habitat to which it had specialized, nor to adjust to a new environment.

Many of the species of birds that are barely surviving, or are slowly losing their fight for survival are in trouble because of curtailment of a favorable territory in which to carry on their breeding functions, in which to rest on migratory flights, orin which, on winter grounds, to pursue a constant quest for food. The breeding and food gathering difficulties may be associated with the loss of critical spacial needs of individual pairs. The California Condor, the Whooping Crane, and several of the varieties of Prairie Chickens have been losing ground, not so much because of persecution by man as through the gradual attrition of their ancestral habitats. Though man is responsible for this whittling down, the decrease im wild life is indirect and unplanned, not a frontal, purposeful attack as it was on Passenger pigeons, Great Auks, and Buffalo.

Until recently most birds have not been threatened by the

activities of man. This is because as a class they are remarkably adaptive. Even though enormous tracts of land have been cleared in the mid-western states the total number of birds has not apparently diminished. Certain forest species, of course, are less numerous, but many other kinds are more abundant than ever before. Some varieties of woodpeckers, nuthatches, hawks, and owls are undoubtedly rarer. On the other hand the birds which prefer semi-open country, bushy sprout land, and second growth forest have probably multiplied greatly. Among these latter species are several kinds of warblers, many of the sparrows, and their allies, cuckoos, some of the thrushes, and crows. It can hardly be doubted that Blue-winged and Golden-winged Warblers, Chestnut-sided Warblers, Song Sparrows, Robins, Bluebirds until very recently, and Crows are much more plentiful than they were in pioneer days. The three warblers favor sprout land and young second growth forest as nesting habitats; Song Sparrows are bush and ground nesting birds; Robins and Bluebirds, as everyone who has ever lived in a suburb or on a farm knows adapt readily to a human environment, nesting around buildings and in bird boxes put up to attract them. Robins are able to extract for themselves and their young an ample supply of worms from that favorite foraging place, the well kept watered lawn. How many of us are not familiar with the sight of a fat robin running in short spurts across a lawn, nausing, cocking its head to one side - to listen we were told as children, but much more likely to look - and of a sudden probing deep into the soft soilto pull out with braced legs and arching neck a long rubbery sarth

by modern technology

worm

Since the synthesis of organic insecticides during World War II and their wide-spread use to control insect infestations and insect pests, have caused the decline of the United States have been on the decline. The chlorinated hydrocarbon class of poisons is non-selective; that is its it ness are toxic to all animal life, and some in the class are toxic to

chlorinated hydrocarban The synthesis by modern technology of Arganic insecticides during World War II and their wide-spread use to control insect infestations and insect pests have caused and decline in the populations in the United States of several species of birds. Some of the chemicals in this class of poisons are toxic to plants and are used as weed killers and defoliants. They have foreign to the environment no natural counterparts and therefore are substances/which organisms have evolved no defenses against - no means for chemical breakdown and elimination.

The indroduction by the technological revolution, which has taken place since the end of World War II, of chlorinated hydrocarbon insecticides for insect pest control hage caused a decline in the United States in the populations of several species of birds. Some of the chemicals in this class also of poisons are toxic/to plants and are used as weed killers and defoliants. They are substances foreign to the environment without o counterparts in nature/refractoryhtohdecomposition/bysthevnaturalschemistryhofilivingsorganishs and elimination. The most familiar of these insecticides is DDT. It was first used to control mosquitoes, but was soon discovered to be active against many orders of insects, DDT and its many close chemical relatives are nerve poisons and kill by interrupting the transmission of nerve impulses. and belatedly to kill crustaceans, fish,and birds. DDT and its many close chemical relatives, because they kill by interrupting the transmission nerve impulses, are non-specific nerve poisons and therefore active on of a broad spectrum of organisms. I The only thing animals can do with them is to store them in inactive tissues  $\int_{\Lambda}^{\Lambda_{h,c}} d$  because they cannot be gotten rid of either through excretion by the normal eliminating organs, the only the of the animat animals can do as a last resort is to store them where they will be out of contact with direct accessite vital processes. Since they are all fat soluble and since energy, which is fats themselves serve as a reservoir of surplushich is not continuously being utilized these hydrocarbons can safely be deposited in the adipose's tissuesi-sthe attics and cellars - of the animal body where they may

3a

remain for years until fats are mobilized to meet emergency demands. When this occurs they appear in the circulation, and the animal is in for trouble. deposits Unfortunately the organism has little choice sinto which fatty tissues it / these foreign substances are deposited, whether in liver, kidney, bone marrow, elements or most disastrous, of all in the lipid constituents of nerve tissue where irelationShip with they are inclosed contact the mechanisms of nerve impulse conduction, and produce can Zeuse paralysis. Moreover, some kinds of these poisons, not completely resistant to catabolic attack, are partly reduced to even more toxic and resistant products which Cause injuryity in concentrations a thousand times lower than the parent substances.

But this is not the worst of it. These hydrocarbon insecticides are passed up the food chain from from lower to higher animals. The toxicity animals to them is not uniform throughout the biota; some organisms being more susceptible than others, the inserticides situation susceptible than others, the inserticides are stored in high concentrations, a fact deletarious had which has a devastatingly ffect on some predator species. The extreme water insolubility of chlorinated hydrocarbons cis a property responsible for a misjudgement of /the effect they produce on the biological environment. Measurments of contaminating concentrations of these chemicals is water yield such small figures that manufacturers belittle their significance in disregard of the mechanism by which they enter the food chain, and because financial interest their predisposes them to do so. The very factof the extreme difference in southit solubility of these insecticides in water and fats leads to the absorption from water of even these minute amounts by the lipids constituents of acquatic organisms until a state of equilibrium is lattained between the Shx greatlybdivergentusolubilities tween the solubilities im the two media. bocteren to Assarresult all lower forms of life from, protozoans through the acquatic worms and insect larvae continue to extract from their environment all such non-metabolizable substances as fast as they appear as contaminants. Subsequently bottom feeding fish that live on invertebrates scavangers, and bottom feeders, and fish that eat insects and other invertebrates contentrate the hydrocarbons

further in their fatty tissues. The carnivorous fish carry this storage to still hight concentrations of thousands of parts per million, an increase of a million-fold over the starting concentration in water of less than one part per billion. Fish eating birds - grebes, loons, and ospreys to name a few consequently may over a period of time injest massive does of chlorinated hydrocarbons. The reproductive physiology of birds is particularly allies its allied chemicals susceptable to disruption by DDT which interfers with the enzyme system involved in calcium metabolism manifest first as lowered fertility and later by defective egg shell formation. Robins thath have suffered extremely high USE dor controlling Duth Elm Biseaseobtain the poison from earthworms taken from the smill under sprayed trees . Earthworms like fish concentrate DDT, but unlike fmish are highly resistant to its effects and so remain for life a reservoir of death to robins.

Because most insects are very small they can be killed by small amounts of poisons, whereas larger animals are only effected by proportionately larger doses. If the proportionality goes by weight, the amount of poison intake necessary to kill a man would be about one hundred billion times that needed to kill a mosquito weighing a milligram. So when an area is sprayed for mosquitoes or some other insect pest it is unlikely that enough poison will come in contact with a person, a dog, or even a bird to injur it immediately. Such may have been the reasoning first put forward to reassure people as to the barmlessness of these chemicals. That many of them are deadly to man has been proved by the accidental spilling of concentrates on handlers who have died in spite of every effort to wash them off the poison immediately. And the breathing of sprays during crop application has also lead to fatalities.

A more insidious danger arises from residual poisons on vegetables regulations and fruits that have been sprayed to kill pests. Although federal areas govern allowable residues on market products, and prescribe the minimum time between the last spraying and harvesting, inadequate inspection and state

laws less strict than federal often fail to prevent the marketing of dangerously condaminated farm produce. Since residues are not readily washed off, even with soap, those who eat these products accumulate poisons in their bodies faster than is considered safe by the usually permissive standards pf government agencies, regardful with equal solicitude for the economic advantages to the chemical manufacturers as for the health of the consumer. And even when residues are kept to accepted safe limits they will in time accumulate to levels which though not immediately harmful to health can under morbid stress and chronic illness exacerbate a disease process and contribute to the cause of death.

Even if we are willing to accept these hazards to health and the costXX in life, still the use of organic insecticides permanently to control various kinds of insects is a futile undertaking in the end, and so the losses are

sustained without the advantages of the expected benefits. Adaptation to changes in the environment comes about through mutations; and the rate at which mutations occur in turn depends on the rate of reproduction of the species under consideration. In man the periodicity of reproduction is at about twenty years which means that many centuries or even milleniums must pass before adaptation through natural selection - leaving out of consideration the possibility of future genetic engineering - becomes appreciable. For passerine birds, the common song birds for example, reproductive periodicity is about one year so that even with them evolution is a slow/process and could not be refied on ta dance to adapting a species, in time to save it from extinction to a potentially lethal environmental change, With insects, however, the situation is quite different. The reproductive cycle of the house fly is so short that if all the descendants of one pair lived and reproduced normally during one summer season from April to August the total number would be  $10^{20}$ . Onehundred billion billion. A comparable figure for the cabbage aphid assuming an average of 41 young per female in 16 generations between March and October is 10<sup>24</sup>, or 10,000 times more than among insects) the house fly. Thus it isobvious that the opportunity for mutations to poisons take place bestowing resistance to organic / dos is enormously increased. Strains of insects resistant to many of the common insecticides have been observed. House flies insusceptible to DDT are becoming common. In many mosquito control programs it has been noted after several applications of chlorinated hydrocarbons that the insect is as abundant as it was at the start of spraying. In Tampa Bay, Florida where mosquite control was actial conducted for several years by airplane spraying, increasingly high concentrations of DDT were found necessary to produce the same results ultimately as were obtained the previous year until the program was discontinued for being no longer effective. In the mean time the destruction of fish and crustacean life in the shallow waters of the bay had become so extensive

that the population of herons and egrets, tourist attractions of the region, which depend on these animals as a major food resource were driven from the area.

The defenders of DDT, who oppose any limitation on its/use, cite the undeniable benefit it has brought to people around the world, notably in the undeveloped, tropical countries, by controlling malaria and other named insect vector diseases. Ceylon is / ted as the arch-example of a country society whose moribund/on, saddled with rendemic malaria, was ar/ised from a condition of chronic ill-health and/lassiitude and raised of te anstate of vigor and social progress by the wide-spread application of DDT for controlling the anopheles mosquito. Yet, recently the effectiveness of the insecticide has diminished, the anopheles have not been eradicated as forecast and are reappearing in strains resistant to DDT, and malaria more virulent than before has returned to deplete the Cevlanese. To forestall regression to the former state of social deterioration the use of DDT has had to be supplanted by other insecticides of the chlorinated hydrocarbon group, with only partial and success,/at the same time old t conventional public health measures have been reinstituted. The question must be asked whether chemical insecticides offer/hope for/elimination or lasting control of insect born diseases, or should a totally different approach be sought for the permanent eradication of these plagues on mankind of which biological controls promise the atest greatestior success.

What it comes down to, especially in the industrial countries, is a choice between the advantage of a immediate convenience and comfort, or a wider regard for aesthetic values on the one hand and ecological and moral responsibilities on the other. I do not wish to be understood as recommending a complete abandonment of the use of orgamic insecticides. For crops and intensively farmed lands and orchards where monoculture on a large areas without competitive favors the development of insect pests and parasites, there may never be a substitute for organic poisons. But for the

indiscriminate spraving of forest land or suburban areas to control insect infestations for which there are alternate treatments, or when the efficacy richochets and side effects of the program are not known, using these chemicals is not warented since it may seriously upset the ecological balance, the consequences, the consequences of which for all forms oflife cannot be predicted. The Forest Service has sprayed DDT on forest areas in northern Minnesota and on mountains in New Mexico and Colorado to control spruce budworm. In Minnesota, after actial several years of Application, the program was abandoned as ineffective. In New Mexico, goaded by popular protest, the National Forest Service experts gave assurances that no harm would come to wildlife. This statement was made without knowing or attempting to ascertain what damage might be after the fact expected, or, what damage if any was actually suffered. The only exception being a few minor and inconclusive control tests with caged fish in one or two of the streams in the sprayed area. In colorado an unexpected result of the anti-budworm measures was an outburst of spider mite infestation. Under natural circumstances spider mites are too scarce to cause significant damage to trees, but with the killing of their normal enemies non-selectively by DDT. to which the mites are highly immune on they multiplied explosively. Another spraying had then to be undertaken with an organic phosphate not toxic to insecticide to which spider mites are susceptible.

An attitude current among Forest Service and Game Department personnel, and expressed frequently enough by executive officers to that it demonstrates contempt for the less conspicuous passerine species, is to refer to them as dicky birds. A dicky bird is too low in the hierarchy for serious recognition consideration. The epithet is commonly employed for the purpose of dismissing criticism of an ineptitude or obvious stupidity and usually takes the pegorative form, "No harm was done except to a few dicky birds", which is an accetable point of view for most sportsmen as well. Unfortunately many people belonging to neither catagory find no objection to this term. To suburbanites who live in the denser housing development, birds, except

for the hardier species, are largely unknown. Understandably they support Hard unnecessary and ineffective spraying to protect their few trees which are much more important to them than the occasional robin that finds it way to their lawns.

But to those people who are fortunate to live on the fringes of the cities, in the small towns, and in the country, birds have a great deal of meaning. The spraying of the suburbs of Detroit in recent years with pellets of aldrin in order to destroy Japanese beetles was not accepted impassively. The effect on the bird life was immediately noted by the inhabitants, who complained to the responsible city departments. Not only were birds killed in large numbers, but some cats and dogs succumbed and a few children were a know n made sick. In spite of objections from the people and of the existence of en effective method of biological control - A specific micro-organism that causes a fatal condition in the bettle called milky disease - the spraying into the difficulty in side-tracking a bureaucratic decision, no matter how unjustified, once it has gained a certain momentum.

A similar situation has existed in the Gulf states where ch fire ants were accidentally introduced from the Atgentine arty in this century. The ants, named for their fiery sting, spread radially from the point of initial establishment by building large ground nest colonies. They are generally self-limiting within the area through which they have advanced, being most region troublesome and aggressive at the periphery of the infested/. Because their act sting was considered dangerous to livestock, poultry, house pets, and unpleasant to people the Department of Agriculture initiated approgram of eradication by treatment of the areas to regions with heptachlor and dieldrin. Department the pesticides would toxologists and biologists catagorically stated that not harm would occur to domestic animals or wildlife by the concentrations used in the application. which was to be carried out by acklade spraying. It wasn't long, however, before complaints of injury to both farm animals and wildlife began to flow in to county, state, and federal offices. Cows, pigs, and chickens were reported to have sickened and died from the effects of the chemical. And

complaints of the disappearance of quail, songbirds, and small mammals were received in increasing number. After several years during which the eradication program was continued under the persistant assurances by of government biologists that the insecticide was harmless to all living things except fire ants, and that reports of poisoning of livestock were misleading, even congressmen began to complain to the Department of Agriculture begging for a cessation of the operation. Nevertheless, despite rising local opposition the eradication program was stubbornly continued to the successful decimation, not of fire ants, which were able to adapt to this new fish environmental factor and even to increase, but of wild birds, and mammals. when I Eventually the program was discontinued, probably because the appropriations WEIE chlorinated hydrocarbo for this purpose was exhausted. However, in 1969 a pellet form of an allied / pesticide sold under the proprietary name of Mirex was recommended for the control of fire ants by the Department of Agriculture, and with undeterable persistance and no greater promise of success than before the spraying program was reactivated. The only possible explanation for the continued support by the Department of Agriculture for the fire ant program receives from the Depattmant of Agriculture is political. The unattainable goal of insecticides eradication - unattainable certainly by broad spectrum chemical Asans - rather than practical limited control, continues to be advanced as the government's conclusive by its promotors aim. And in spite of/evidence to the contrary Mirex is described/as a harmless chemical to all but ant life. Tests have shown that notkonly doessit kill crustaceans and fish, but that it enters the food chain to appear in high Cause concentrations in birds to produce infertility and egg shell thinning. And tohave even more disturbing, Mirex has proved carcenogenic properties in experimental involving animals. / Why programs, with such dubious fustification and so much ignorance concerming \*\*\*\* pushed to inflexibly, becomes explicable under the operative othe Agriculfural Research Service of the Department of Agriculture aperates, that

Why programs, with such dubiuos justification involving so much ignorance concerning inadvertent consequences, should be pushed seconflexibility, becomes explicable only under a presumed operative principle of the Agricultural Research Servise of the Department of Agriculture, that lack of information supports licence to proceed immediately with a project Sanctions and allows postponement or cancellation of investigation. lack of information gives licence to proceed immediately and to investigate in the program later. In this particular case the contention has been that any delay/would let the fire ants get out of control, an unconvincing claim since the fire ants have been out of control from the time they first appeared in the United "tates.

with aprogram

12

Discouraging as these examples of headstrong administrative decisions are, nevertheless a growing number of people and becoming increasingly vocal in the defense of wildlife and the natural scene against predatory destruction and exploitation. Whether their numbers are multiplying faster than the rate of population growth is uncertain. If they are not, then their cause may be lost by submersion in the population explosion. So the battle for conservation becomes at the same time a battle for population control. Two kinds of points ofview prevail among the proponants of conservation which are about as far apart as thepoints of view of either group, from that the raider of forest resources during the nineteenth century. The dominant group of conservationists believe that the only valid justification for preserving ov protecting any feature of nature restres in the economic advantage to be derived therefrom. This attitude is deeply imbedded in our Judeo-Christian inheritance and stems directly from the Bible in the Noacian imperative. God said unto Noah: "And the fear of you and the dread of you shall be upon every beast of the earth, and upon every fowl of the air, upon all that moveth upon the earth, and upon all the fishes of the sea: unto your hands are they delivered. Every moving thing that liveth shall be meat for; even as the green herb have I given you all things". This was all very well at a time before man had over-run the whole earth; at a time when there was still room to move about: at a time when if men were dissatisfied with one place they could pack up and move to another less populated place. The question is. can the most successful animal that has ever come down the evolutionary path afford to take the chance of creating a world in which he reigns supreme over all the forms of life which he in his arrogance has Supertorit hp decided may continue to exist; a world in which, in his assumeday but

This is the peril we are bringing upon outselves by our rampant technology. According to seme admirers of man's ingenuity, however, progress must be given free reign, and if, as technology advances, large pieces of the ebvironment are destroyed, whole areas of wilderness wiped out, and life endangered, this is merely the cost we should accept for the improvements and comforts that innovations bring us. These progress-at-any-cost people give little thought to the possible adverse effects of technological achievements or that comforts may finally turn out to be unimaginable discomforts. Their acceptance without question of man's ability to order nature for his own use and advantage - endlessly - isnot a thesis supported by past experience with exploitation. Men have produced deserts and dust bowls before; we could well be on the road to creating a wasteland on a worldwide scale today.

The greatest good which could come from the U. S. space program is not man's setting foot on the moon or Mars; it is rather the perspective he may gain of his small, vulnerable, longely home planet. The appearance of our mottled blue-and-white sphere from thousands of miles out should make us conscious of the exceptional conditions under which the phenomenon we call life - the only life of which we have any knowledge - originated. We should be impressed by the beauty and fragility of the dynamic balance that has been preserved for so many hundreds of millions of years during which life has persisted on earth. And we should especially appreciate the shortness of our tenure on earth and use the powers we have so recently assumed to perpetuate not destroy the balance.

The direction which seems to promise the greatest rewards, the surest fulfillment of the hopes and aspirations of man's troubled and inquiring spirit, and of a distant and ultimate happiness, is a course of least arrogance towards his living companions - a course even less negative than the absence of superiority - a course of humble respect for life, a sympathy which sustains a recognition of the essential interdependence of all living things.

13 a

limited wisdom, for grants life only to those living things that he regards as useful. Will he in the end create a world in which he himself will be unable to live because he has failed to learn that variety is an essential ingredient of an healthy biological system. Too late he may discover that his machines, his artificial pleasures, his synthetic foods, have ceased to furish his spirit though they may still nourish his body. And so the vital essence for survival withers and men loses his fierce will to live.

The second group of conservationists hold to the belief that conservation for non-use is the only reasonable, the only viable kind of conservation. They believe that the fact of the existence of an organism bestows on it a valid claim to life, provided it can survive the normal competition unmanipulated by man. They believe in the greatest possible non-interference with the processes of nature. This is of course an ideal in the interest of to which there are many exceptions: they acknowledge the necessity. human welfare of stamping out disease and of controlling to a limited Certain degree the numbers of some animals and plant species. And they believe, if ephsistent, in the practical as well as moral obligation to control andlimit their own numbers. But they assert that the dominant position of people on earth demands of them a greater responsibility towards their fellow creatures than their fellow creatures exhibit towards one another. And they especially believe thatmen through knowledge and understanding have acquired a practical as well as moral responsibility to control and limit their own numbers to the extent that all other animals will be able to continue to share the warld with them. And finally in diametric opposition to Biblical philosophy they say that it is not in our greatest interest to pre-empt the whole world to our exclusive use.

Admiration for nature is a trait of rather recent origin. The pioneer thought of nature as an enemy to be fought and conquered and tamed, and if not tamable to be excluded. With the development of technology and the freeing of people from the constant drudgery of making a living and

13a

originating in assumed

1

the compulsion, stemming from / necessity, to use or destroy all things, they carth can afford the time and leisure to look at the world around them with less predatory and less acquisitive eyes. Not many generations ago men began to look at nature with a new awareness and a new kind of awe. Its mysteries were not always taken for granted as men's minds began to recognize the dwerse. greatest mystery of all, the existence of multitudinous, infinitely d forms in which living nature exhibits its face. And with the recognition of this mystery, with the overwhelming awe of sudden understanding, and paradoxically simultaneous incomprhension, of the unending complexity and unity of nature, grew a sense of the incredible beauty of it all. Thoreau devoted most of his short life, onehundred years ago, to admiring nature. And since his time it has become at least fashionable to profess appreciation of the natural world, and at most a matter of inner satisfaction and spiritual fulfillment to commune with nature.